ELSEVIER

Nuclear Engineering and Design 152 (1994) 413–414

Nuclear Engineering and Design

Author Index of Volume 152

Abdel-Khalik, S.I., see Ghiaasiaan, S.M. 152 (1994) 379
Araseki, H., S. Kotake, Numerical method for analysis of turbulent liquid metal magnetohydrodynamic flow 152 (1994) 231
Aritomi, M., see Chiang, J.-H. 152 (1994) 263
Austregesilo, H., see Vijayan, P.K. 152 (1994) 331
Auflick, L.J., see Galyean, W.J. 152 (1994) 159
Azzopardi, B.J., The effect of a plate axial to the flow on the liquid distribution in annular two-phase flow 152 (1994) 257

Bass, B.R., see Sievers, J. 152 (1994) 19
Battiste, R.L., see Poole, A.B. 152 (1994) 57
Berg, H.P., and K. Harnack, The system for transportation and handling of radioactive waste packages in the planned Konrad repository 152 (1994) 389
Berger, F.P., and A. Ijaz, Loading of tubular filters in AGR 152 (1994) 91
Bilby, B.A., see Lidbury, D.P.G. 152 (1994) 1
Blackman, H.S., see Galyean, W.J. 152 (1994) 159

Carbajo, J.J., MELCOR sensitivity studies for a low-pressure short-term station blackout at the Peach Bottom plant, 152 (1994) 287
Carrica, P., see Guido-Lavalle, G. 152 (1994) 213
Chang, C.-S., see Ting, K. 152 (1994) 135
Chang, K.-K., see Ting, K. 152 (1994) 135
Chapman, J.C., see Larson, T.K. 152 (1994) 277
Chatoorgoon, V., see Zeitoun, O. 152 (1994) 243
Chiang, J.-H., M. Aritomi and M. Mori, Transient behavior of natural circulation for boiling two-phase flow (flow after pump trip) 152 (1994) 263
Clausse, A., see Guido-Lavalle, G. 152 (1994) 213
Clausse, A., see Qazi, M.K. 152 (1994) 225
Clinard, J.A., see Poole, A.B. 152 (1994) 57

Depiante, E.V., Stability analysis of a liquid-metal reactor and its primary heat transport system 152 (1994) 361
DeWall, K.G.,, see Watkins, J.C. 152 (1994) 67

Epstein, M., A natural convection model of molten pool penetration into a melting miscible substrate 152 (1994) 319
Eripret, C., see Lidbury, D.P.G. 152 (1994) 1
Eripret, C., and G. Rousselier, First spinning cylinder test analysis by using a local approach to fracture 152 (1994) 11

Fujimoto, N., see Maruyama, S. 152 (1994) 183

Galyean, W.J., D.L. Kelly, J.A. Schroeder, J.L. Auflick, H.S. Blackman, D.I. Gertman and L.N. Hanley, Intersystem LOCA risk assessment: methodology and results 152 (1994) 159
Gardner, L., see Wright, D.J. 152 (1994) 39
Gertman, D.I., see Galyean, W.J. 152 (1994) 159
Ghiaasiaan, S.M., R.E. Turk and S.I. Abdel-Khalik, Countercurrent flow limitation in inclined channels with bends 152 (1994) 379
Göller, B., Protection against missiles due to a failing PWR pressure vessel 152 (1994) 147
Guido-Lavalle, G., P. Carrica, A. Clausse and M.K. Qazi, A bubble number density constitutive equation 152 (1994) 213
Guido-Lavalle, G., see Qazi, M.K. 152 (1994) 225
Gupta, A.K.,, and H.A. Megahed, Two methods for seismic analysis of non-classically damped systems 152 (1994) 117

Hanley, L.N., see Galyean, W.J. 152 (1994) 159
Harnack, K., see Berg, H.P. 152 (1994) 389
Hendrich, W.R., see Poole, A.B. 152 (1994) 57
Howard, I.C., see Lidbury, D.P.G. 152 (1994) 1
Hwang, W.G., see Jhung, M.J. 152 (1994) 79

Ijaz, A., see Berger, F.P. 152 (1994) 91

Jhung, M.J., K.B. Park, W.G. Hwang, Dynamic response of reactor internals to pipe breaks 152 (1994) 79

Kawai, M. 121
Kelly, D.L., see Galyean, W.J. 152 (1994) 159

Kotake, S., see Araseki, H. 152 (1994) 231

Larson, T.K., C.H. Oh and J.C. Chapman, Flooding in a thin rectangular slit geometry representative of ATR fuel assembly side-plate flow channels 152 (1994) 277
Li, Z.H., see Lidbury, D.P.G. 152 (1994) 1
Lidbury, D.P.G., A.H. Sherry, B.A. Bilby, I.C. Howard, Z.H. Li and C. Eripret, Prediction of the first spinning cylinder test using continuum damage mechanics 152 (1994) 1
Lin, Y.N., and C. Pan, Non-linear analysis for a natural circulation boiling channel 152 (1994) 349

Maruyama, S., N. Fujimoto, Y. Sudo, T. Murakami and S. Fujii, Evaluation of core thermal and hydraulic characteristics of HTTR 152 (1994) 183
Megahed, H.A., see Gupta, A.K. 152 (1994) 117
Mori, M. 263
Murakami, T., see Maruyama, S. 152 (1994) 183
No, H.C., see Oh, D.Y. 152 (1994) 197

Oh, C.H., see Larson, T.K. 152 (1994) 277
Oh, D.Y., and H.C. No, Determination of the minimal number and optimal sensor location in a nuclear system with fixed incore detectors 152 (1994) 197

Pan, C., see Lin, Y.N. 152 (1994) 349
Park, K.B., see Jhung, M.J. 152 (1994) 79
Poole, A.B., J.A. Clinard, R.L. Battiste and W.R. Hendrich, Fracture mechanics and full scale pipe break testing for the Department of Energy's new production reactor-heavy water reactor 152 (1994) 57

Qazi, M.K., see Guido-Lavalle, G. 152 (1994) 213
Qazi, M.K., G. Guido-Lavalle and A. Clausse, Void fraction along a vertical heated rod bundle under flow stagnation conditions 152 (1994) 225

Rothberg, O.O., see Watkins, J.C. 152 (1994) 67
Rousselier, G., see Eripret, C. 152 (1994) 11

Schroeder, J.A., see Galyean, W.J. 152 (1994) 159
Sharples, J.K., see Wright, D.J. 152 (1994) 39
Sherry, A.H., see Lidbury, D.P.G. 152 (1994) 1
Sherry, A.H., see Wright, D.J. 152 (1994) 39
Shoukri, M., see Zeitoun, O. 152 (1994) 243
Sievers, J., and B.R. Bass, Comparative assessment of project FALSIRE—results 152 (1994) 19
Steele, R., see Watkins, J.C. 152 (1994) 67
Sudo, Y., see Maruyama, S. 152 (1994) 183

Tang, Y., Rocking response of tanks containing two liquids 152 (1994) 103
Ting, K., C.-S. Chang and K.-K. Chang, Alternating method applied to analyse Mode-III fracture problems with multiple cracks in an infinite domain 152 (1994) 135
Tseng, C.M., Second trip system for NRU research reactor 152 (1994) 175
Turk, R.E., see Ghiaasiaan, S.M. 152 (1994) 379

Vijayan, P.K., H. Austregesilo, Scaling laws for single-phase natural circulation loops 152 (1994) 331

Watkins, J.C.,, R. Steele, Jr., K.G. DeWall, G.H. Weidenhamer and O.O. Rothberg, NRC test results and operations experience provide insights for a new gate valve stem force correlation 152 (1994) 67
Weidenhamer, G.H., see Watkins, J.C. 152 (1994) 67
Wright, D.J., J.K. Sharples, A.H. Sherry and L. Gardner, Effect of biaxial loading on the fracture behaviour of a ferritic steel component 152 (1994) 39

Zeitoun, O., M. Shoukri and V. Chatoorgoon, Measurement of interfacial area concentration in subcooled liquid–vapour flow 152 (1994) 243

ELSEVIER

Nuclear Engineering and Design 152 (1994) 415–416

Fusion Engineering and Design

Subject Index of Volume 152

Thermal and fluid design

MELCOR sensitivity studies for a low-pressure, short-term station blackout at the Peach Bottom plant, J.J. Carbajo 152 (1994) 287
Scaling laws for single-phase natural circulation loops, P.K. Vijayan and H. Austregesilo 152 (1994) 331

Heat conduction and transfer

A natural convection model of molten pool penetration into a melting miscible substrate, M. Epstein 152 (1994) 319
Stability analysis of a liquid-metal reactor and its primary heat transport system, E.V. Depiante 152 (1994) 361

Fluid dynamics

A bubble number density constitutive equation, G. Guido-Lavalle, P. Carrica, A. Clausse and M.K. Qazi 152 (1994) 213
Void fraction along a vertical heated rod bundle under flow stagnation conditions, M.K. Qazi, G. Guido-Lavalle and A. Clausse 152 (1994) 225
Numerical method for analysis of turbulent liquid metal magnetohydrodynamic flow, H. Araseki and S. Kotake 152 (1994) 231
Measurement of interfacial area concentration in subcooled liquid–vapour flow, O. Zeitoun, M. Shoukri and V. Chatoorgoon 152 (1994) 243
The effect of a plate axial to the flow on the liquid distribution in annular two-phase flow, B.J. Azzopardi 152 (1994) 257
Transient behavior of natural circulation for boiling two-phase flow (flow after pump trip), J.-H. Chiang, M. Aritomi and M. Mori 152 (1994) 263
Flooding in a thin rectangular slit geometry representative of ATR fuel assembly side-plate flow channels, T.K. Larson, C.H. Oh and J.C. Chapman 152 (1994) 277
A natural convection model of molten pool penetration into a melting miscible substrate, M. Epstein 152 (1994) 319
Non-linear analysis for a natural circulation boiling channel, Y.N. Lin and C. Pan 152 (1994) 349
Countercurrent flow limitation in inclined channels with bends, S.M. Ghiaasiaan, R.E. Turk and S.I. Abdel-Khalik 152 (1994) 379

Engineering mechanics

Rocking response of tanks containing two liquids, Y. Tang 152 (1994) 103
Two methods for seismic analysis of non-classically damped systems, A.K. Gupta and H.A. Megahed 152 (1994) 117
A comparative study of anisotropic creep theories, M. Kawai 152 (1994) 121

Materials properties

Prediction of the first spinning cylinder test using continuum damage mechanics, D.P.G. Lidbury, A.H. Sherry, B.A. Bilby, I.C. Howard, Z.H. Li and C. Eripret 152 (1994) 1
First spinning cylinder test analysis by using a local approach to fracture, C. Eripret and G. Rousselier 152 (1994) 11
Comparative assessment of project FALSIRE—results, J. Sievers and B.R. Bass 152 (1994) 19
Effect of biaxial loading on the fracture behaviour of a ferritic steel component, D.J. Wright, J.K. Sharples, A.H. Sherry and L. Gardner 152 (1994) 39
Fracture mechanics and full scale pipe break testing for the Department of Energy's new production reactor-heavy water reactor, A.B. Poole, J.A. Clinard, R.L. Battiste and W.R. Hendrich 152 (1994) 57
A comparative study of anisotropic creep theories, M. Kawai 152 (1994) 121

Alternating method applied to analyse Mode-III fracture problems with multiple cracks in an infinite domain, K. Ting, C.-S. Chang and K.-K. Chang 152 (1994) 135

Mechanical design, component fabrication and testing

Prediction of the first spinning cylinder test using continuum damage mechanics, D.P.G. Lidbury, A.H. Sherry, B.A. Bilby, I.C. Howard, Z.H. Li and C. Eripret 152 (1994) 1
First spinning cylinder test analysis by using a local approach to fracture, C. Eripret and G. Rousselier 152 (1994) 11
Comparative assessment of project FALSIRE—results, J. Sievers and B.R. Bass 152 (1994) 19
Effect of biaxial loading on the fracture behaviour of a ferritic steel component, D.J. Wright, J.K. Sharples, A.H. Sherry and L. Gardner 152 (1994) 39
Fracture mechanics and full scale pipe break testing for the Department of Energy's new production reactor-heavy water reactor, A.B. Poole, J.A. Clinard, R.L. Battiste and W.R. Hendrich 152 (1994) 57
NRC test results and operations experience provide insights for a new gate valve stem force correlation, J.C. Watkins, R. Steele, Jr., K.G. DeWall, G.H. Weidenhamer and O.O. Rothberg 152 (1994) 67
Dynamic response of reactor internals to pipe breaks, M.J. Jhung, K.B. Park, W.G. Hwang 152 (1994) 79
Loading of tubular filters in AGR, F.P. Berger and A. Ijaz 152 (1994) 91

Reactor concepts and systems analysis

Intersystem LOCA risk assessment: methodology and results, W.J. Galyean, D.L. Kelly, J.A. Schroeder, J.L. Auflick, H.S. Blackman, D.I. Gertman and L.N. Hanley 152 (1994) 159
Second trip system for NRU research reactor, C.M. Tseng 152 (1994) 175
Evaluation of core thermal and hydraulic characteristics of HTTR, S. Maruyama, N. Fujimoto, Y. Sudo, T. Murakami and S. Fujii 152 (1994) 183

Safeguard engineering

Determination of the minimal number and optimal sensor location in a nuclear system with fixed incore detectors, D.Y. Oh and H.C. No 152 (1994) 197

Structural design, construction methods and testing

Protection against missiles due to a failing PWR pressure vessel, B. Göller 152 (1994) 147

Nuclear waste management and disposal

The system for transportation and handling of radioactive waste packages in the planned Konrad repository, H.P. Berg and K. Harnack 152 (1994) 389

Nuclear safety

Determination of the minimal number and optimal sensor location in a nuclear system with fixed incore detectors, D.Y. Oh and H.C. No 152 (1994) 197